

**Supplementary material: The LC-MS qualitative compound report of sub-fraction F3a**

for the article:

Supardy N.A. et al. Bioactive Compounds of *Pseudoalteromonas* sp. IBRL PD4.8 Inhibit Growth of Fouling Bacteria and Attenuate Biofilms of *Vibrio alginolyticus* FB3. Pol J Microbiol. 2019;68(1):21–33.




Fig. 1 S. The count versus acquisition time of LC-MS total ion chromatogram (TIC) of sub-fraction F3a.

Table I S

The compounds of the sub-fraction F3a.

Compound label	RT	Mass	Name	DB Formula	DB Diff (ppm)
Cpd 1	4.093	216.0624	-		
Cpd 2	4.233	97.967	Sulfate	H <sub>2</sub> O <sub>4</sub> S	3.99
Cpd 3	4.233	233.8893	-	-	
Cpd 4	4.233	80.9645	-	-	
Cpd 5	4.417	223.9666	-	-	
Cpd 6	4.906	248.1763	4,7,10,13-hexadecatetraenoic acid	C <sub>16</sub> H <sub>24</sub> O <sub>2</sub>	5.3
Cpd 7	5.419	225.1718	-	-	
Cpd 8	5.662	196.0729	Homoveratric acid	C <sub>10</sub> H <sub>12</sub> O <sub>4</sub>	3.17
Cpd 9	5.663	522.1169	-	-	
Cpd 10	5.663	1034.9954	-	-	
Cpd 11	5.666	210.0087	-	-	
Cpd 12	6.724	292.2057	-	-	
Cpd 13	6.764	162.0419	-	-	
Cpd 14	6.809	326.1891	Isoacitretin	C <sub>21</sub> H <sub>26</sub> O <sub>3</sub>	-2.7
Cpd 15	6.923	294.1859	Sodium tetradecyl sulfate	C <sub>14</sub> H <sub>30</sub> O <sub>4</sub> S	2.07
Cpd 16	7.512	256.2379	-	-	
Cpd 17	7.562	368.2222	-	-	
Cpd 18	7.617	340.2048	D1-2-Hydroxymethylethisterone	C <sub>22</sub> H <sub>28</sub> O <sub>3</sub>	-2.94
Cpd 19	8.037	340.206	-	-	
Cpd 20	8.321	482.3389	-	-	
Cpd 21	10.593	284.269	-	-	
Cpd 22	11.478	320.0682	-	-	
Cpd 23	11.838	320.0681	-	-	